

MATERIAL SAFETY DATA SHEET

SECTION I: IDENTIFICATION OF PRODUCT

COMPANY: **Diversity Technologies Corp.** DATE: **June 22, 2011**
8750 – 53rd Ave. PHONE: 780-468-4064
Edmonton, AB T6E 5G2 FAX: 780-469-1899

PRODUCT NAME: **PRO-PAC**

PRODUCT USE: Drilling fluid additive
CHEMICAL FAMILY: Sodium carboxymethylcellulose CAS#: Not available

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

WHMIS CLASSIFICATION: Not WHMIS controlled.
WORKPLACE HAZARD: Not applicable

TRANSPORTATION OF DANGEROUS GOODS (TDG)

PROPER SHIPPING NAME: Not regulated under TDG
TDG CLASSIFICATION: Not applicable
UN NUMBER (PIN): Not applicable
PACKING GROUP: Not applicable

SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENT</u>	<u>% (w/w)</u>	<u>CAS NUMBER</u>	<u>LD₅₀Oral-Rat</u>	<u>LC₅₀Inhal-Rat</u>	<u>ACGIH-TLV</u>
-------------------	----------------	-------------------	--------------------------------	---------------------------------	------------------

Contains no WHMIS controlled ingredients.

SECTION III: HEALTH HAZARDS

ROUTE OF ENTRY: [XX]EYE CONTACT []SKIN [XX]INHALATION []INGESTION
EYE CONTACT: May cause mechanical irritation.
SKIN CONTACT: No effects expected.
INGESTION: No effects expected.
INHALATION: May cause slight irritation of the upper respiratory tract.
CARCINOGENICITY: No information available.
TERATOGENICITY: No information available.
REPRODUCTIVE TOXICITY: No information available.
MUTAGENICITY: No information available.

SYNERGISTIC PRODUCTS: No information available.

SECTION IV: FIRST AID MEASURES

SKIN CONTACT: Flush with water. If irritation persists, obtain medical attention.
EYE CONTACT: Immediately flush with gently flowing warm water until particles are removed. If irritation persists, obtain medical attention.
INGESTION: No first aid should be required. If large quantity ingested, or symptoms develop, obtain medical attention.
INHALATION: Move to fresh air. Apply oxygen or artificial respiration if required. If breathing difficulties, or distress, continue obtain medical attention.

SECTION V: PHYSICAL DATA

APPEARANCE AND ODOUR:	Free-flowing white powder; odourless
SPECIFIC GRAVITY:	Not applicable
BOILING POINT (°C):	Not applicable
MELTING POINT (°C):	Not applicable
SOLUBILITY IN WATER:	Soluble pH: 6.0 – 8.5 (1% sol'n)
PERCENT VOLATILE BY VOLUME:	Not applicable
EVAPORATION RATE:	Not applicable
VAPOUR PRESSURE (mmHg):	Not applicable
VAPOUR DENSITY (air = 1):	Not applicable
BULK DENSITY:	300 – 900 kg/m ³

SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	Not applicable
FLAMMABLE LIMITS:	Not applicable
EXTINGUISHING MEDIA:	Water spray, foam, dry chemical, CO ₂ or halon.
SPECIAL FIRE FIGHTING PROCEDURES:	Self-contained breathing apparatus required for firefighting personnel. Material becomes slippery when contacted by water.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	This material can burn under fire conditions. As with most organic powders, dust/air mixtures may ignite violently upon exposure to sources of ignition.

SECTION VII: REACTIVITY DATA

STABILITY:	STABLE [XX]	UNSTABLE []
INCOMPATIBILITY (CONDITIONS TO AVOID):	Avoid strong oxidizers and dust generation in the presence of ignition sources.	
CONDITIONS OF REACTIVITY:	None known.	
HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon and hydrocarbons on combustion.	
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR [XX]	MAY OCCUR []

SECTION VIII: PREVENTATIVE MEASURES**SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION:	Use an approved dust mask, or respirator with dust cartridges, if ventilation is inadequate.
VENTILATION:	Use local exhaust ventilation, process enclosure or other engineering controls to maintain dust level below TLV. 8 hr OEL nuisance particulate = 5 mg/m ³ (respirable mass).
PROTECTIVE GLOVES:	Personal preference.
EYE PROTECTION:	Safety glasses with side-shields recommended.
OTHER PROTECTIVE EQUIPMENT (Specify):	Wear clothing adequate to protect against exposure. Ensure eye-wash station and emergency shower are available.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Caution; material swells and becomes very slippery when wet! Wash thoroughly after handling. Avoid contact with eyes, skin or clothing. Launder contaminated clothing before re-use. Handle in well-ventilated area. Avoid generating dust. Store in a cool, dry area (hygroscopic) away from ignition sources.

STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Use appropriate safety equipment. Vacuum or sweep up. Avoid creating dust clouds. Collect uncontaminated material for repackaging. Collect contaminated material in approved containers for disposal. Use non-sparking tools as dust/air mixtures may explode violently. Flush spill area thoroughly with water until non-slippery.

WASTE DISPOSAL METHOD

Dispose in accordance with federal, provincial and local regulations. This material can be landfilled in most areas; check with local operator. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.

SECTION IX: PREPARATION

THE INFORMATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH,
BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.

DATE ISSUED: June 22, 2011 BY: Product safety committee
SUPERSEDES: July 2, 2008 PHONE: 780-440-4923

**Diversity Technologies Corp. is the parent company of
Canamara-United Supply, Hollimex Products, The Drilling Depot and
Westcoast Drilling Supplies.**