

MATERIAL SAFETY DATA SHEET

SECTION I: IDENTIFICATION OF PRODUCT

COMPANY: **Diversity Technologies Corp.** DATE: **January 11, 2008**
8750 – 53rd Ave. PHONE: 780-468-4064
Edmonton, AB T6E 5G2 FAX: 780-469-1899

PRODUCT NAME: **Sodium Acid Pyrophosphate (SAPP)**

PRODUCT USE: Oil-well drilling fluid additive
CHEMICAL FAMILY: Sodium phosphates CAS #: 7758-16-9

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

WHMIS CLASSIFICATION: D2B
WORKPLACE HAZARD: Skin and eye irritant

TRANSPORTATION OF DANGEROUS GOODS (TDG)

PROPER SHIPPING NAME: Not regulated under TDG
TDG CLASSIFICATION: Not applicable
UN NUMBER (PIN): Not applicable
PACKING GROUP: Not applicable

SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENT</u>	<u>% (w/w)</u>	<u>CAS NUMBER</u>	<u>LD₅₀Oral-Rat</u>	<u>LC₅₀Inhal-Rat</u>	<u>ACGIH-TLV</u>
Sodium acid pyrophosphate	95-100	7758-16-9	3600 mg/kg	Not available	Not established

SECTION III: HEALTH HAZARDS

ROUTE OF ENTRY: [XX]EYE CONTACT [XX]SKIN [XX]INHALATION [XX]INGESTION
EYE CONTACT: Can cause severe irritation; symptoms include stinging, tearing redness and swelling.
SKIN CONTACT: Low acute dermal toxicity: LD₅₀ dermal-rabbit >7940 mg/kg. May cause mild irritation with symptoms including redness and burning. Prolonged contact may cause drying or chapping of the skin.
INGESTION: Ingestion of large quantities may cause nausea, vomiting and/or diarrhea.

INHALATION:	Dust may be irritating to the upper respiratory tract; symptoms include coughing, chest pain, runny nose and burning throat. Inhalation of high concentrations of dust may cause nasal stuffiness and nosebleeds.
CARCINOGENICITY:	No information available.
TERATOGENICITY:	No birth defects reported in animal tests.
REPRODUCTIVE TOXICITY:	No information available.
MUTAGENICITY:	No adverse genetic effects were reported in standard tests using animals, bacterial and yeast cells.
SYNERGISTIC PRODUCTS:	No information available.

SECTION IV: FIRST AID MEASURES

SKIN CONTACT:	Immediately flush with lukewarm flowing water. Remove contaminated clothing. If irritation persists, obtain medical attention.
EYE CONTACT:	Immediately flush with gently flowing warm water for at least 15 minutes, or until irritation ceases. If irritation persists, or develops, obtain medical attention.
INGESTION:	Do not induce vomiting. Rinse mouth with plenty of water and get medical attention. Obtain medical attention or contact a poison control centre. Never give anything by mouth to an unconscious victim.
INHALATION:	Move to fresh air. Apply oxygen or artificial respiration if required. If breathing difficulties, or distress, continue, obtain medical attention.

SECTION V: PHYSICAL DATA

APPEARANCE AND ODOUR:	White powder; odourless
SPECIFIC GRAVITY:	Not available
BOILING POINT (°C):	Not available
MELTING POINT (°C):	Decomposes between 250 – 275°C
SOLUBILITY IN WATER:	12.5 gm/100mL @ 25°C pH: 4.0 - 5.0 (1% sol'n)
PERCENT VOLATILE BY VOLUME:	Not available
EVAPORATION RATE:	Not available
VAPOUR PRESSURE (mmHg):	Not available
VAPOUR DENSITY (air = 1):	Not available
BULK DENSITY:	0.8 – 1.33 gm/cc

SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	Not applicable
FLAMMABLE LIMITS:	Not applicable
EXTINGUISHING MEDIA:	Use media suitable for surrounding materials and packaging.
SPECIAL FIRE FIGHTING PROCEDURES:	Self-contained breathing apparatus required for fire fighting personnel.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None known.

SECTION VII: REACTIVITY DATA

STABILITY:	STABLE [XX]	UNSTABLE []
INCOMPATIBILITY (CONDITIONS TO AVOID):	Avoid strong mineral acids.	
CONDITIONS OF REACTIVITY:	Not known.	
HAZARDOUS DECOMPOSITION PRODUCTS:	Not known.	
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR [XX]	MAY OCCUR []

SECTION VIII: PREVENTATIVE MEASURES**SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION:	NIOSH approved dust mask suggested for normal conditions of use. Approved respirator with dust cartridges required if TLV's are exceeded.
VENTILATION:	Use in well-ventilated area. Use local exhaust ventilation, process enclosure or other engineering controls to maintain level of airborne dust below TLV.
PROTECTIVE GLOVES:	Neoprene or rubber gloves recommended.
EYE PROTECTION:	Safety glasses with side shields or goggles recommended. It is recommended that contact lenses not be worn when handling this material.
OTHER PROTECTIVE EQUIPMENT (Specify):	Full body covering suggested. Ensure eye wash station and emergency shower are available.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Avoid skin and eye contact. Wash thoroughly after handling and at end of shift. Avoid generating dust. Launder contaminated clothing before reuse. Store in a cool dry area away. Keep containers closed until used. Emptied container retains product residue. Observe all labeled safeguards until container is cleaned, reconditioned, or destroyed.

STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Wear appropriate safety equipment. Sweep up or vacuum to collect spilled material. Collect uncontaminated material for repackaging. Collect contaminated material in approved container for disposal. Keep out of sewers, storm drains, surface waters and soil. Clean spill area with soap and water.

WASTE DISPOSAL METHOD

Dispose in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.

SECTION IX: PREPARATION

THE INFORMATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH,
BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.

DATE ISSUED: **January 11, 2008** BY: Product safety committee
SUPERSEDES: **December 5, 2007** PHONE: 780-440-4923

**Diversity Technologies Corp. is the parent company of
Canamara-United Supply, Hollimex Products, The Drilling Depot and
Westcoast Drilling Supplies.**