

SAFETY DATA SHEET DEFOAMER SILICONE

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: **DEFOAMER SILICONE**

OTHER MEANS OF IDENTIFICATION: None

RECOMMENDED USE: Oilwell drilling fluid and cement additive

RESTRICTIONS ON USE: None known SUPPLIER IDENTIFIER: Di-Corp

8750-53 Ave

Edmonton, AB T6E 5G2

780-440-4923

EMERGENCY PHONE NUMBER 24 hr: 780-468-4064

SECTION 2: HAZARD IDENTIFICATION

CLASSIFICATION: Serious eye damage / eye irritation - Category 1

LABEL SYMBOLS:

SIGNAL WORD: **DANGER**

CLASSIFICATION INFORMATION: Causes serious eye damage.

Wear eye protection/ face protection.

PRECAUTIONARY STATEMENTS: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a doctor.

OTHER HAZARDS: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME CAS NUMBER CONCENTRATION

Poly(oxy-1,2-ethanediyl), .alpha.-[3,5-dimethyl-60828-78-6 <=7% w/w 1-(2-methylpropyl)hexyl]-.omega.-hydroxy-

SECTION 4: FIRST AID MEASURES

SKIN CONTACT: Remove contaminated clothing and wash contacted area thoroughly with water and soap. If

irritation occurs and persists, obtain medical attention.

EYE CONTACT: Immediately flush with gently flowing warm water for minimum 15 minutes. Hold eyelids

open to ensure thorough flushing. Obtain medical attention when flushing is complete and

no further irritation is felt.

INGESTION: Do not induce vomiting unless directed to do so by medical personnel. If fully conscious,

> rinse mouth and give 1 to 2 glasses of water. If vomiting occurs, keep head below hips to prevent vomitus being aspirated into lungs. Obtain medical attention immediately. Never give anything by mouth if victim is unconscious, rapidly losing consciousness or convulsing. Move to fresh air. If victim is not breathing, if breathing is irregular or if respiratory arrest

INHALATION: occurs, provide artificial respiration or oxygen by trained personnel. If breathing difficulties

or distress continues obtain medical attention.

MOST IMPORTANT SYMPTOMS / EFFECTS:

IMMEDIATE MEDICAL ATTENTION /

SPECIAL TREATMENT:

Contact with liquid causes eye irritation and may cause eye damage without prompt first aid.

Treat symptomatically.

© Di-Corp 2018 Page 1 of 4



SAFETY DATA SHEET DEFOAMER SILICONE

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon dioxide, foam or dry powder.

UNSUITABLE EXTINGUISHING MEDIA: Water may be ineffective.

SPECIFIC FIRE HAZARDS: Material will burn in a fire. Containers can build up pressure if exposed to heat.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, hydrocarbons, formaldehyde, fumes and smoke.

SPECIAL PROTECTIVE EQUIPMENT & Self-contained breathing apparatus required for fire-fighting personnel.

PRECAUTIONS:

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIMENT AND EMERGENCY PROCEDURES

Eliminate sources of ignition. Use suitable safety equipment. Stop leak if possible to do so without risk. Dike to prevent spilled material from entering storm sewers and/or natural waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Small spills: Soak up with absorbent material; collect contaminated absorbent in approved containers for disposal; flush spill area with water. Large spills: Dike to prevent spread of material; collect uncontaminated material for repackaging; collect contaminated material in approved containers for disposal; treat remaining material as a small spill.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Minimize breathing vapour or mist. Wear suitable protective clothing to prevent contact. Remove contaminated clothing; launder or dry-clean before reuse. Wash skin thoroughly after contact, before breaks and meals, and at end of work period.

CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES

Store in cool and dry location away from incompatible materials and ignition sources. Empty packages contain residual hazardous material; handle and store as if full.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: Not established for product or component ingredients.

ENGINEERING CONTROLS: Use only with adequate ventilation. Use process enclosure, local exhaust ventilation or other

engineering controls to keep worker exposure below limits.

PERSONAL PROTECTIVE MEASURES

RESPIRATORY PROTECTION: Use a properly fitted organic vapour filter respirator complying with an approved standard if

airborne concentrations exceeds TLV or if a risk assessment indicates this is necessary.

PROTECTIVE GLOVES: Rubber gauntlets recommended.

EYE PROTECTION: Wear tight fitting chemical goggles. Do not wear contact lenses.

OTHER PROTECTIVE EQUIPMENT (SPECIFY): Protective clothing as required to prevent contact. Ensure eye-wash station and emergency

shower are available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Opaque white liquid

ODOUR: Mild odour
ODOUR THRESHOLD: Not applicable
pH: Not available

MELTING POINT / FREEZING POINT: ~0°C

BOILING POINT / RANGE: >100°C

FLASH POINT: >94°C

EVAPORATION RATE: <1 (n-butyl acetate = 1)

© Di-Corp 2018 Page 2 of 4



SAFETY DATA SHEET DEFOAMER SILICONE

FLAMMABILITY: Not applicable
FLAMMABILITY / EXPLOSIVE LIMITS: Not available
VAPOUR PRESSURE: >24 mmHg @68°F
VAPOUR DENSITY: Not available
RELATIVE DENSITY: 0.98 @ 25°C

SOLUBILITY: Dispersible with water

PARTION COEFFICIENT: Not available
AUTO-IGNITION TEMPERATURE: Not applicable

DECOMPOSITION TEMPERATURE: 150°C

VISCOSITY: Not available

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Not reactive under normal conditions.

CHEMICAL STABILITY: Stable under recommended storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: None under normal conditions of use.

CONDITIONS TO AVOID: Avoid ignition sources and high temperatures.

INCOMPATIBLE MATERIALS: Avoid strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Upon prolonged heating above 150 °C hazardous decomposition products may be released:

Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT TOXICITY: No product data available.

COMPONENT TOXICITY

INGREDIENT LD50 (oral) LD50 (dermal) LC50 (inhal)

Poly(oxy-1,2-ethanediyl), .alpha.-

[3,5-dimethyl-1-(2-

>5000 mg/kg (rat) >4000 mg/kg (rabbit) Not available

methylpropyl)hexyl]-.omega.-

hydroxy-

SKIN CONTACT: May cause mild to moderate irritation on contact.

EYE CONTACT: Contains an ingredient which is a severe irritant and can cause damage with prolonged

contact. Prompt access to eye wash station is required.

INGESTION: Essentially non-toxic in animal tests. May cause gastrointestinal upset.

INHALATION: Prolonged or excessive inhalation may cause irritation. Avoid breathing vapours or mists.

Not an expected route of exposure under normal conditions of use.

CARCINOGENICITY: Not listed by NTP, IARC, OSHA or ACGIH.

TERATOGENICITY: No information available.

REPRODUCTIVE TOXICITY: No information available.

MUTAGENICITY: No information available.

CHRONIC TOXICITY: No information available.

TARGET ORGAN EFFECTS: Based on available data no acute or chronic target organ effects are expected.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: LC50 (fathead minnow) = 103 mg/L/96 hr.

LC50 (water flea) = 164.9 mg/L/48 hr. IC50 (bacteria) >1000 mg/L/16 hr.

© Di-Corp 2018 Page 3 of 4



SAFETY DATA SHEET DEFOAMER SILICONE

PERSISTENCE AND DEGRADABILITY: Poly(oxy-1,2-ethanediyl), .alpha.-[3,5-dimethyl-1-(2-methylpropyl)hexyl]-.omega.-hydroxy-:

Biodegradation under aerobic static laboratory conditions is moderate (BOD20 or

BOD28/ThOD between 10 and 40%).

BIOACCUMULATIVE POTENTIAL: Not expected to bioaccumulate.

MOBILITY IN SOIL: Not available.

OTHER ADVERSE EFFECTS: None know.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal. Empty containers, which have not been cleaned and purged, contain residual hazardous material and must be recycled, or disposed of, in accordance with local regulations.

SECTION 14: TRANSPORTATION INFORMATION

TDG Not regulated DOT Not regulated IATA Not regulated **IMDG** Not regulated UN NUMBER: Not applicable PROPER SHIPPING NAME: Not applicable CLASS: Not applicable PACKING GROUP: Not applicable

IMDG HAZARDS: Not a marine pollutant

BULK TRANSPORT: Not regulated

SPECIAL PRECAUTIONS: None

SECTION 15: REGULATORY INFORMATION

DSL: Ingredients are listed on the DSL or are exempt from the DSL.

WHMIS CLASS: D2B

TSCA: All components of this product are included in the United States TSCA Chemical Inventory or

are not required to be listed on the United States TSCA Chemical Inventory.

SECTION 16: OTHER INFORMATION

REVISION DATE: February 8, 2022 REPLACES: April 17, 2017

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

© Di-Corp 2018 Page 4 of 4