

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: DRY ACID SPECIAL

OTHER MEANS OF IDENTIFICATION: None

RECOMMENDED USE: Water well cleaning

RESTRICTIONS ON USE:

SUPPLIER IDENTIFIER:

None known

Di-Corp

8750-53 Ave

Edmonton, AB T6E 5G2

780-440-4923

EMERGENCY PHONE NUMBER: (24 hr) **780-468-4064**

TRANSPORT EMERGENCY NUMBER: 1-888-CANUTEC (226-8832), 613-996-6666 or *666 on a cellular phone

SECTION 2: HAZARD IDENTIFICATION

Corrosive to metals - Category 1

CLASSIFICATION: Skin irritation – Category 2

Eye irritation - Category 2

LABEL SYMBOLS:



SIGNAL WORD: WARNING

May be corrosive to metals.

CLASSIFICATION INFORMATION: Causes skin irritation.

Causes serious eye irritation. Keep only in original packaging. Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention/advice.

Take off contaminated clothing and wash it before reuse.

PRECAUTIONARY STATEMENTS:

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store in a corrosion resistant container.

Dispose of contents/container in accordance with local, regional, national, and/or international

regulations.

OTHER HAZARDS: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAMECAS NUMBERCONCENTRATIONSulfamic acid5329-14-6>50% (w/w)

SECTION 4: FIRST AID MEASURES

SKIN CONTACT: Quickly and gently brush away excess chemical. Thoroughly flush with running water while

removing contaminated clothing. If irritation develops and persists, obtain medical attention. Flush with gently flowing warm water for minimum 20 minutes. Hold eyelids open to ensure

EYE CONTACT: Flush with gently flowing warm water for minimum 20 minutes. Hold eyelids open to ensure thorough flushing. Obtain medical attention when flushing is complete and no further irritation

is felt.

© Di-Corp 2018 Page 1 of 5



INGESTION: Do not induce vomiting. Rinse mouth with water. Give 1 to 2 glasses of water. Obtain medical

attention. Never give anything by mouth if patient is unconscious, rapidly losing consciousness

or convulsing.

INHALATION: Move to area free from dust. Obtain immediate medical attention. If victim is not breathing, if

breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by

trained personnel.

MOST IMPORTANT SYMPTOMS / EFFECTS: May cause moderate to severe eye irritation. May cause skin irritation.

IMMEDIATE MEDICAL ATTENTION / Treat symptomatically.

SPECIAL TREATMENT:

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

UNSUITABLE EXTINGUISHING MEDIA: None known.

SPECIFIC FIRE HAZARDS: Emits toxic fumes under fire conditions.

HAZARDOUS COMBUSTION PRODUCTS: Sulphur oxides and ammonia.

SPECIAL PROTECTIVE EQUIPMENT & Self-contained breathing apparatus required for fire-fighting personnel. Move material from fire

PRECAUTIONS: area if possible to do so without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIMENT AND EMERGENCY PROCEDURES

Material is corrosive: Use appropriate safety equipment. Eliminate ignition sources. Avoid creating dust clouds. Sulfamic acid is an acute environmental toxin; prevent material from entering sewers or waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Collect dry material by shoveling, liquid material can be removed with a vacuum truck. Collect uncontaminated material for repackaging. Collect contaminated material in an approved container for disposal. Flush spill area thoroughly with water.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

This product is corrosive. Wear personal protective equipment. Wash thoroughly after handling. Avoid contact with skin and eyes. Avoid ingestion. Wash clothing before reuse. Avoid creating dust clouds.

CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES

Store in cool, dry area away from incompatibles. Keep container tightly closed and properly labelled. Aqueous solutions of sulphamic acid can, if in contact with reactive metal (iron, zinc, aluminum) form hydrogen which may create explosive mixtures. Avoid creating dust clouds when handling. Empty packages contain residual hazardous material and should be handled as if full.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: Not established.

ENGINEERING CONTROLS: Use only with adequate ventilation. If user operations generate dust use process enclosure,

local exhaust ventilation or other engineering controls to keep worker exposure below limits. Ensure ventilation equipment is corrosion resistant and separate from other exhaust ventilation

systems.

© Di-Corp 2018 Page 2 of 5



PERSONAL PROTECTIVE MEASURES

RESPIRATORY PROTECTION: Approved dust masks required for dust levels below TLV. Use a properly fitted particulate

filter respirator complying with an approved standard if airborne concentrations exceeds TLV

or if a risk assessment indicates this is necessary.

PROTECTIVE GLOVES: Rubber gauntlets recommended.

EYE PROTECTION: Wear tight fitting chemical goggles. Do not wear contact lenses.

OTHER PROTECTIVE EQUIPMENT (SPECIFY): Protective clothing as required to prevent contact. Ensure eye-wash station and emergency

shower are available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White to off-white crystals

ODOUR: Odourless
ODOUR THRESHOLD: Not applicable.

pH: <1

MELTING POINT / FREEZING POINT: Not available **BOILING POINT / RANGE:** Not available FLASH POINT: Not applicable **EVAPORATION RATE:** Not applicable FLAMMABILITY: Not available FLAMMABILITY / EXPLOSIVE LIMITS: Not applicable VAPOUR PRESSURE: Not available VAPOUR DENSITY: Not available

RELATIVE DENSITY: >2

SOLUBILITY: Soluble in water
PARTION COEFFICIENT: Not available
AUTO-IGNITION TEMPERATURE: Not available
DECOMPOSITION TEMPERATURE: Not available
VISCOSITY: Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Not available. CHEMICAL STABILITY: Stable.

POSSIBILITY OF HAZARDOUS REACTIONS: May react violently with nitrates and nitric acid, sometimes even leading to explosions.

CONDITIONS TO AVOID: Avoid contact with incompatible materials. At elevated temperatures, concentrated aqueous

solution hydrolyzes rapidly generating heat and steam.

INCOMPATIBLE MATERIALS: Inorganic bases, alkalies, nitrates, nitrites, cyanides, sulfides, chlorates, chlorine,

hypochlorous acid and sodium hypochlorite.

HAZARDOUS DECOMPOSITION PRODUCTS:

May react with metals generating explosive hydrogen gas. Oxides of sulfur and ammonia

may be produced at decomposition temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT TOXICITY: Not available

INGREDIENT TOXICITY: Sulfamic acid: Oral LD50 (rat) – 1450 mg/kg

SKIN CONTACT: May cause irritation. Prolonged contact may cause inflammation and blistering.

EYE CONTACT: May cause moderate to severe irritation according to animal testing. Prolonged contact may

cause corneal damage and possibly blindness.

© Di-Corp 2018 Page 3 of 5



INGESTION: May cause burns to mouth, throat and esophagus.

INHALATION: Dusts and mists from solutions may cause temporary irritation of the nose and throat. The

severity of these effects would depend on the airborne concentration, concentration of the

solution and the duration of exposure.

CARCINOGENICITY: Not considered to be carcinogenic (NTP, IARC, or OSHA).

TERATOGENICITY:

REPRODUCTIVE TOXICITY:

MUTAGENICITY:

CHRONIC TOXICITY:

No information available.

No information available.

No information available.

TARGET ORGAN EFFECTS: Not available.

SECTION 12: ECOLOGICAL INFORMATION

PRODUCT ECOTOXICITY: Not available INGREDIENT ECOTOXICITY: SULFAMIC ACID

Fish: LC50 (Pimephales promelas): 70.3 mg/L/96 hr (OECD TG 203, 1981) Daphia: EC50 (Daphnia magna): 71.6 mg/L/24 hr (OECD TG 202, 2010)

Algae: ErC50: 48 mg/L/72 hr (OECD TG 201, 2010)

Micro-organisms: EC50: > 200 mg/L/3 hr (OECD TG 209, 2010)

PERSISTENCE AND DEGRADABILITY: Sulfamic acid is stable in water at pH 4, 7 and 9 at 25 °C, with a half-life greater than one year.

Sulfamic acid is an inorganic substance, so the biodegradability criterion is not applicable.

BIOACCUMULATIVE POTENTIAL: Not applicable. Sulfamic acid is an inorganic substance with high water solubility and without

heavy metal, which indicates it has no potential of bio-accumulation.

MOBILITY IN SOIL: Not applicable.

OTHER ADVERSE EFFECTS: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal. Empty containers, which have not been cleaned and purged, contain residual hazardous material and must be recycled, or disposed of, in accordance with local regulations.

SECTION 14: TRANSPORTATION INFORMATION

TDG Regulated
DOT Regulated
IATA Regulated
IMDG Regulated
UN NUMBER: UN2967

PROPER SHIPPING NAME: SULPHAMIC ACID MIXTURE

CLASS: 8
PACKING GROUP: III

IMDG HAZARDS: Not applicable BULK TRANSPORT: Not applicable

SPECIAL PRECAUTIONS: None

© Di-Corp 2018 Page 4 of 5





SECTION 15: REGULATORY INFORMATION

DSL: On the list.

WHMIS CLASS: Not applicable
TSCA: On the list.

SECTION 16: OTHER INFORMATION

REVISION DATE: June 26, 2019

REPLACES: None

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

© Di-Corp 2018 Page 5 of 5