

SAFETY DATA SHEET **DRY ACID SPECIAL**

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: OTHER MEANS OF IDENTIFICATION: RECOMMENDED USE: **RESTRICTIONS ON USE:** SUPPLIER IDENTIFIER:

EMERGENCY PHONE NUMBER: (24 hr) TRANSPORT EMERGENCY NUMBER:

DRY ACID SPECIAL

None
Water well cleaning
None known
Di-Corp
8750-53 Ave
Edmonton, AB T6E 5G2
780-440-4923
780-468-4064
1-888-CANUTEC (226-8832), 613-996-6666 or *666 on a cellular phone

SECTION 2: HAZARD IDENTIFICATION

CLASSIFICATION:	Corrosive to metals – Category 1 Skin irritation – Category 2 Eye irritation – Category 2
LABEL SYMBOLS:	
SIGNAL WORD:	WARNING
	May be corrosive to metals.
CLASSIFICATION INFORMATION:	Causes skin irritation.
	Causes serious eye irritation.
	Keep only in original packaging.
	Wash thoroughly after handling.
	Wear protective gloves/protective clothing/eye protection/face protection.
	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention/advice.
PRECAUTIONARY STATEMENTS:	Take off contaminated clothing and wash it before reuse.
	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Store in a corrosion resistant container.
	Dispose of contents/container in accordance with local, regional, national, and/or international
	regulations.
OTHER HAZARDS:	None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	CONCENTRATION
Sulfamic acid	5329-14-6	>50% (w/w)
SECTION 4: FIRST AID MEASURES		
SKIN CONTACT:	Quickly and gently brush away excess chemical. Thoroughly flush with running water while removing contaminated clothing. If irritation develops and persists, obtain medical attention.	

EYE CONTACT:

ritation develops and persists, obtai ig coi ated cloth ng. Flush with gently flowing warm water for minimum 20 minutes. Hold eyelids open to ensure thorough flushing. Obtain medical attention when flushing is complete and no further irritation is felt.



INGESTION:

SAFETY DATA SHEET DRY ACID SPECIAL

attention. Never give anything by mouth if patient is unconscious, rapidly losing consciousness or convulsing. INHALATION: Move to area free from dust. Obtain immediate medical attention. If victim is not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. MOST IMPORTANT SYMPTOMS / EFFECTS: May cause moderate to severe eye irritation. May cause skin irritation. IMMEDIATE MEDICAL ATTENTION / Treat symptomatically. SPECIAL TREATMENT: SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog. UNSUITABLE EXTINGUISHING MEDIA: None known SPECIFIC FIRE HAZARDS: Emits toxic fumes under fire conditions. HAZARDOUS COMBUSTION PRODUCTS: Sulphur oxides and ammonia. SPECIAL PROTECTIVE FOUIPMENT & Self-contained breathing apparatus required for fire-fighting personnel. Move material from fire PRECAUTIONS: area if possible to do so without risk.

Do not induce vomiting. Rinse mouth with water. Give 1 to 2 glasses of water. Obtain medical

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIMENT AND EMERGENCY PROCEDURES

Material is corrosive: Use appropriate safety equipment. Eliminate ignition sources. Avoid creating dust clouds. Sulfamic acid is an acute environmental toxin; prevent material from entering sewers or waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Collect dry material by shoveling, liquid material can be removed with a vacuum truck. Collect uncontaminated material for repackaging. Collect contaminated material in an approved container for disposal. Flush spill area thoroughly with water.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

This product is corrosive. Wear personal protective equipment. Wash thoroughly after handling. Avoid contact with skin and eyes. Avoid ingestion. Wash clothing before reuse. Avoid creating dust clouds.

CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES

Store in cool, dry area away from incompatibles. Keep container tightly closed and properly labelled. Aqueous solutions of sulphamic acid can, if in contact with reactive metal (iron, zinc, aluminum) form hydrogen which may create explosive mixtures. Avoid creating dust clouds when handling. Empty packages contain residual hazardous material and should be handled as if full.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: ENGINEERING CONTROLS:

Not established.

Use only with adequate ventilation. If user operations generate dust use process enclosure, local exhaust ventilation or other engineering controls to keep worker exposure below limits. Ensure ventilation equipment is corrosion resistant and separate from other exhaust ventilation systems.



SAFETY DATA SHEET DRY ACID SPECIAL

RESPIRATORY PROTECTION:

PROTECTIVE GLOVES: EYE PROTECTION: OTHER PROTECTIVE EQUIPMENT (SPECIFY): PERSONAL PROTECTIVE MEASURES

Approved dust masks required for dust levels below TLV. Use a properly fitted particulate filter respirator complying with an approved standard if airborne concentrations exceeds TLV or if a risk assessment indicates this is necessary.

Rubber gauntlets recommended.

Wear tight fitting chemical goggles. Do not wear contact lenses.

Protective clothing as required to prevent contact. Ensure eye-wash station and emergency shower are available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	White to off-white crystals
ODOUR:	Odourless
ODOUR THRESHOLD:	Not applicable.
pH:	<1
MELTING POINT / FREEZING POINT:	Not available
BOILING POINT / RANGE:	Not available
FLASH POINT:	Not applicable
EVAPORATION RATE:	Not applicable
FLAMMABILITY:	Not available
FLAMMABILITY / EXPLOSIVE LIMITS:	Not applicable
VAPOUR PRESSURE:	Not available
VAPOUR DENSITY:	Not available
RELATIVE DENSITY:	>2.0
SOLUBILITY:	Soluble in water
PARTION COEFFICIENT:	Not available
AUTO-IGNITION TEMPERATURE:	Not available
DECOMPOSITION TEMPERATURE:	Not available
VISCOSITY:	Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY:	Not available.
CHEMICAL STABILITY:	Stable.
POSSIBILITY OF HAZARDOUS REACTIONS:	May react violently with nitrates and nitric acid, sometimes even leading to explosions.
CONDITIONS TO AVOID:	Avoid contact with incompatible materials. At elevated temperatures, concentrated aqueous
	solution hydrolyzes rapidly generating heat and steam.
INCOMPATIBLE MATERIALS:	Inorganic bases, alkalies, nitrates, nitrites, cyanides, sulfides, chlorates, chlorine,
	hypochlorous acid and sodium hypochlorite.
HAZARDOUS DECOMPOSITION PRODUCTS:	May react with metals generating explosive hydrogen gas. Oxides of sulfur and ammonia
HALANDOUS DECOMPOSITION PRODUCTS.	may be produced at decomposition temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT TOXICITY:	Not available
INGREDIENT TOXICITY:	Sulfamic acid: Oral LD50 (rat) – 1450 mg/kg
SKIN CONTACT:	May cause irritation. Prolonged contact may cause inflammation and blistering.
EYE CONTACT:	May cause moderate to severe irritation according to animal testing. Prolonged contact may
	cause corneal damage and possibly blindness.



SAFETY DATA SHEET DRY ACID SPECIAL

INGESTION: May cause burns to mouth, throat and esophagus. INHALATION: Dusts and mists from solutions may cause temporary irritation of the nose and throat. The severity of these effects would depend on the airborne concentration, concentration of the solution and the duration of exposure. CARCINOGENICITY: Not considered to be carcinogenic (NTP, IARC, or OSHA). **TERATOGENICITY:** No information available. **REPRODUCTIVE TOXICITY:** No information available. MUTAGENICITY: No information available. CHRONIC TOXICITY: No information available. TARGET ORGAN EFFECTS: Not available.

SECTION 12: ECOLOGICAL INFORMATION

PRODUCT ECOTOXICITY:	Not available
INGREDIENT ECOTOXICITY:	SULFAMIC ACID
	Fish: LC50 (Pimephales promelas): 70.3 mg/L/96 hr (OECD TG 203, 1981)
	Daphia: EC50 (Daphnia magna): 71.6 mg/L/24 hr (OECD TG 202, 2010)
	Algae: ErC50: 48 mg/L/72 hr (OECD TG 201, 2010)
	Micro-organisms: EC50: > 200 mg/L/3 hr (OECD TG 209, 2010)
PERSISTENCE AND DEGRADABILITY:	Sulfamic acid is stable in water at pH 4, 7 and 9 at 25 °C, with a half-life greater than one year.
	Sulfamic acid is an inorganic substance, so the biodegradability criterion is not applicable.
BIOACCUMULATIVE POTENTIAL:	Not applicable. Sulfamic acid is an inorganic substance with high water solubility and without
	heavy metal, which indicates it has no potential of bio-accumulation.
MOBILITY IN SOIL:	Not applicable.
OTHER ADVERSE EFFECTS:	Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal. Empty containers, which have not been cleaned and purged, contain residual hazardous material and must be recycled, or disposed of, in accordance with local regulations.

SECTION 14: TRANSPORTATION INFORMATION

TDG	Regulated
DOT	Regulated
IATA	Regulated
IMDG	Regulated
UN NUMBER:	UN1759
PROPER SHIPPING NAME:	Corrosive Solid, n.o.s. (sulfamic acid)
CLASS:	8
PACKING GROUP:	III
IMDG HAZARDS:	Not applicable
BULK TRANSPORT:	Not applicable
SPECIAL PRECAUTIONS:	None



SECTION 15: REGULATORY INFORMATION

DSL:	On the list.
WHMIS CLASS:	Not applicable
TSCA:	On the list.

SECTION 16: OTHER INFORMATION

REVISION DATE:	March 25, 2025
REPLACES:	June 26, 2019

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.