

SAFETY DATA SHEET

Issuing Date 15-Feb-2012 Revision Date 08-Jun-2017 Revision Number 2

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Jet-Lube 21®

Other means of identification

Product Code(s) WPS-JLI-008

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube of Canada Ltd.

Address Jet-Lube of Canada Ltd.

3820 - 97 Street NW Edmonton, AB. Canada

T6E-5S8

Telephone JLC Office 1.780.463.7441 Toll Free 1.888.771.7775

E-mail Sales@jetlubecanada.com

Emergency telephone number

Company Emergency Phone +1-780-463-7441

Number

Emergency Telephone Number US/CANADA: 1-800-633-8253

INTERNATIONAL: 001-801-629-0667

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation Category 2B

Appearance Copper Bronze

Physical state Gel

Odor Petroleum

GHS Label elements, including precautionary statements

Warning

Hazard statements

Causes eye irritation

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed Causes mild skin irritation

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

23.0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals,		65-75	-	-



alkaline earth metals, etc.				
Graphite	7782-42-5	5-10	-	-
Limestone	1317-65-3	5-10	-	-
Mica	12001-26-2	1-5	-	-
Copper	7440-50-8	1-5	-	-

4. FIRST AID MEASURES

First aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES



Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite	TWA: 2 mg/m³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ respirable
	except graphite fibers	TWA: 5 mg/m ³ respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Limestone	-	TWA: 15 mg/m ³	TWA: 5 mg/m³ respirable dust
1317-65-3		TWA: 5 mg/m ³	TWA: 10 mg/m³ total dust
		(vacated) TWA: 15 mg/m ³	
		(vacated) TWA: 5 mg/m ³	
Mica	TWA: 3 mg/m ³	TWA: 20 mppcf (<1% crystalline	IDLH: 1500 mg/m3 containing
12001-26-2		silica)	<1% quartz
		3 mg/m³ (vacated)	TWA: 3 mg/m³ respirable dust



Copper 7440-50-8	TWA: 0.2 mg	TWA: 0.2 mg/m³ fume		TWA: 0.1 mg/m³ fume TWA: 1 mg/m³ dust and mist (vacated) TWA: 0.1 mg/m³ Cu dust, fume, mist		IDLH: 100 mg/m³ dust, fume and mist TWA: 1 mg/m³ dust and mist TWA: 0.1 mg/m³ fume	
Chemical name	Alberta	British C	Columbia	Ontario TWAE		Quebec	
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2	2 mg/m ³	TWA: 2 mg/m ³		TWA: 2 mg/m ³	
Limestone 1317-65-3	TWA: 10 mg/m ³	TWA: 3	0 mg/m³ 3 mg/m³ 20 mg/m³			TWA: 10 mg/m ³	
Mica 12001-26-2	TWA: 3 mg/m ³	WA: 3 mg/m ³ TWA: 3		TWA: 3 mg/m	3	TWA: 3 mg/m ³	
Copper 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³		l mg/m³ .2 mg/m³	TWA: 0.2 mg/n TWA: 1 mg/m		TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Gel

AppearanceCopper BronzeOdorPetroleum

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

H 7

Melting / freezing point 232 °C None known

Boiling point / boiling range 260 °C Flash Point > 221 °C

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressure No data available None known



Vapor density No data available None known

Relative density 1.10
Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water Not applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) None

None

Liquid Density

Bulk Density

Particle Size

Particle Size Distribution

No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Not an expected route of exposure. Specific test data for the substance or mixture is not

available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects



Page 6/11

Symptoms May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,280.00 mg/kg

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

23.0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Component information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons	= 2280 mg/kg (Rat)	-	-
having carbon numbers			
predominantly in the range of			
C12 through C50. may contain			
organic salts of alkali metals,			
alkaline earth metals, etc.			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity .

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-



range of C12 through				
C50. may contain organic				
salts of alkali metals,				
alkaline earth metals, etc.				
Copper	EC50 96 h: 0.031 -	LC50 96 h: 0.0068 -	-	EC50 48 h: = 0.03 mg/L
	0.054 mg/L static	0.0156 mg/L		Static (Daphnia magna)
	(Pseudokirchneriella	(Pimephales promelas)		
	subcapitata)	LC50 96 h: < 0.3 mg/L		
	EC50 72 h: 0.0426 -	static (Pimephales		
	0.0535 mg/L static	promelas)		
	(Pseudokirchneriella	LC50 96 h: = 0.052 mg/L		
	subcapitata)	flow-through		
		(Oncorhynchus mykiss)		
		LC50 96 h: = 0.112 mg/L		
		flow-through (Poecilia		
		reticulata)		
		LC50 96 h: = 0.2 mg/L		
		flow-through (Pimephales		
		promelas)		
		LC50 96 h: = 0.3 mg/L		
		semi-static (Cyprinus		
		carpio)		
		LC50 96 h: = 0.8 mg/L		
		static (Cyprinus carpio)		
		LC50 96 h: = 1.25 mg/L		
		static (Lepomis		
		macrochirus)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Copper 7440-50-8	Toxic
7440-30-0	

14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED



Hazard Class N/A

TDG NOT REGULATED

MEX NOT REGULATED

ICAO NOT REGULATED

NOT REGULATED

Proper Shipping Name NON REGULATED

IMDG/IMO NOT REGULATED

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS Complies.

ENCS Contact supplier for inventory compliance status.

KECL Not determined.
PICCS Complies.
AICS Not determined.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Copper - 7440-50-8	7440-50-8	1-5	1.0



Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper		X	Χ	
7440-50-8				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper	5000 lb		RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite 7782-42-5	X	X	Х	Х	
Limestone 1317-65-3	Х	X	Х	Х	
Mica 12001-26-2	Х	Х	Х	Х	
Copper 7440-50-8	Х	Х	Х	Х	Х

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 15-Feb-2012

Revision Date 08-Jun-2017



Revision Note

Initial Release

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



