

Magnesium Oxide

Date of issue: 05/29/2019 Page 1

Section 1 Product Identification and Company Information

PRODUCT NAME: Baymag Magnesium Oxide

CHEMICAL NAME: Magnesium Oxide

CHEMICAL FORMULA: MgO

SYNONYMS: Magnesia, Calcined Magnesia, Calcined Magnesite, Fused Magnesia
PRODUCT USE: Industrial Chemical Process/Animal Feed Supplement/Refractory Material

MANUFACTURER:

Baymag Inc. Phone: (403) 271-9400

800, 10655 Southport Rd. S.W. **Emergency:** (403) 673-3790 Calgary, Alberta, Canada T2W 4Y1 Fax: (403) 271-0010

Section 2 Hazards Identification

HAZARDS CLASSIFICATION: Not Classified

LABEL ELEMENTS: Hazard Symbol: No symbol

Signal Word: No signal word Hazard Statement: Not applicable

OTHER HAZARDS: No additional information available

Section 3 Composition/Information on Ingredients

Components	% (wt./wt.)	CAS#
Magnesium Oxide	94 – 98	1309-48-4
Oxides of calcium, iron, aluminum, and silicon	2 – 6	mixture

Section 4 First Aid Measures

INHALATION: If symptoms of exposure are experienced (see Hazards Identification), remove victim to fresh air. Obtain medical attention.

INGESTION: Rinse mouth with and/or drink water if conscious. Obtain medical attention.

EYES: If irritation occurs, immediately flush eyes with water for at least 10 minutes. Obtain medical attention.

SKIN: Not expected to cause a problem. However, if irritation occurs, flush affected area with water. If irritation Persists, obtain

medical attention.

Section 5 Fire Fighting Measures

CONDITIONS OF FLAMMABILITY: Not Flammable

EXTINGUISHING AGENTS:As for surrounding fire*

FLASHPOINT AND METHOD:

UPPER FAMMABLE LIMIT:

LOWER FLAMMABLE LIMIT:

AUTOIGNITION TEMPERATURE:

HAZARDOUS COMBUSTION PRODUCTS:

SENSITIVITY TO MECHANICAL IMPACT:

Not applicable

No special sensitivity

SENSITIVITY TO STATIC DISCHARGE:

Not sensitive

FIREFIGHTING PROCEDURES:

As for surrounding fire*

^{*} Water reacts exothermically with magnesium oxide to produce magnesium hydroxide and heat/steam. Avoid water contact in closed or restricted storage vessels as heat, swelling, and rupture of storage vessel may occur.

Magnesium Oxide

Date of issue: 05/29/2019 Page 2

LEAK AND SPILL PROCEDURES:

Pick-up spills without creating dust. Place material into a dry container and cover. Hold in sealed container for disposal. Use personal protective equipment as required (See Section 8 - Exposure Controls and Personal Protection).

Section 7

Section 6

Handling and Storage

Accidental Release Measures

HANDLING PROCEDURES AND EQUIPMENT:

Avoid inhalation of dust. Clean area frequently to avoid dust build-up. Wear applicable personal protective equipment as indicated in Section 8 – Exposure Controls and Personal Protection.

STORAGE REQUIREMENTS:

Store in a dry area in sealed containers. Keep away from incompatible materials such as interhalogens and strong acids. Avoid contact with water - product reacts exothermically with water to form magnesium hydroxide and heat/steam. Water contact in closed or restricted storage vessels may cause heat, swelling, and possible rupture of storage vessel.

Section 8 Exposure Controls/Personal Protection

Exposure Limits		
OSHA- PEL	ACGIH-TLV	Alberta-TWA
15 mg/m ³	10 mg/m ³	10 mg/m ³
(Nuisance Particulate)	(Nuisance Particulate)	(Nuisance Particulate)
5 mg/m ³	2 mg/m ³	2 mg/m ³
15 mg/m ³	10 mg/m ³	10 mg/m ³
(Total Particulate)	(Total Particulate)	(Total Particulate)

ENGINEERING CONTROLS:

Engineering controls may include process enclosure and/or local exhaust ventilation to maintain dust concentrations below allowable exposure limits. Local exhaust ventilation with or without process enclosure is important where large quantities are handled, as in bagging operations.

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION: If adequate engineering controls are not available, wear respirator approved by NIOSH/MSHA for dusts/mists, as applicable. If magnesium oxide fume is likely to be produced then ensure that a NIOSH/MSHA respirator approved for fumes is used. In conditions of oxygen deficiency, or where airborne concentrations exceed 100mg/m³, wear positive pressure or pressure demand supplied air respiratory protection or SCBA.

EYE/SKIN PROTECTION: Wear safety goggles in high dust concentrations, unless full face-piece respiratory protection is worn. Wear coveralls.

Section 9 Physical and Chemical Properties

Approx. 2800°C APPEARANCE: White to light brown powder/granules MELTING POINT: ODOUR: **Odourless** SPECIFIC GRAVITY: 3.58 g/cc PHYSICAL STATE: Solid **EVAPOURATION RATE:** Not applicable :Ha 10.3 (Sat. aq. sol'n) PARTITION COEFF.: Not applicable **VAPOUR PRESSURE:** Not applicable **ODOUR THRESHOLD:** Not applicable **VAPOUR DENSITY:** Not applicable VISCOSITY: Not applicable **BOILING POINT:** Approx. 3600°C WATER SOLUBILITY (@20°C): 0.0006 g/100ml

Magnesium Oxide

Date of issue: 05/29/2019 Page 3

Section 10

Stability and Reactivity

CHEMICAL STABILITY:

Stable under normal conditions.

CONDITIONS TO AVOID:

Avoid contact with water - product reacts exothermically with water to form magnesium hydroxide and heat/steam.

INCOMPATABLE SUBSTANCES:

Strong Acids, Interhalogens (eg. Bromine pentafluoride, chlorine tri-fluoride), phosphorous pentachloride.

HAZARDOUS DECOMPOSITION PRODUCTS:

Magnesium fume may be generated if heated to volatization. Heat and Steam may be generated upon contact with water.

HAZARDOUS POLYMERIZATION:

Does not occur.

Section 11	Toxicological Information
LD50/LC50:	No Data Available
IRRITANCY:	May cause irritancy of eyes, skin or nasal passages
SENSITIZER:	No Data Available
CARCINOGEN:	Magnesium oxide (CAS#1309-48-4) is not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP or OSHA
TERATOGEN:	No Data Available
REPRODUCTIVE TOXIN:	No Data Available
MUTAGEN:	No Data Available
SYNERGISTIC PRODUCTS:	None Known
Section 12	Ecological Information

No Data Available

Section 13 Disposal Considerations

WASTE DISPOSAL: This product does not meet the criteria of a hazardous waste. Dispose in accordance with all applicable Federal,

Provincial/State, and local Environment Regulations.

Section 14	Transport Information
SPECIAL SHIPPING INFORMATION:	No special requirements
CANADIAN TGD:	Not regulated. No PIN number assigned.
U.S. DOT:	Not regulated by DOT. No UN number assigned.
MARITIME TRANSPORT:	IMDG: Not Regulated Marine Pollutant: Not Listed
AIR TRANSPORT:	IATA: Not Regulated

Magnesium Oxide

Date of issue: 05/29/2019 Page 4

INVENTORY/REGULATORY LISTS:

Section 15

Magnesium Oxide is reported on the following national inventory and/or regulatory lists:

Australia Australian Inventory Of Chemical Substances (AICS): 1309-48-4

Canada Domestic Substance List (DSL): 1309-48-4

Europe **European Inventory Of Existing Commercial**

Regulatory Information

215-171-9 Chemical Substances (EINECS):

Japan Existing And New Chemical Substances (ENCS): 1-465

KE-22728 Korea Existing And Evaluated Chemical Substances (KECL):

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Magnesium Oxide

USA Toxic Substance Control Act (TSCA) Inventory List 8(b): 1309-48-4

WHMIS 2015 CLASSIFICATION: Not a dangerous product according to HPR classification criteria

CEPA: This product is not listed as a toxic substance under the Canadian Environmental Protection Act (CEPA 1999).

CERCLA: Not listed as a hazardous substance

SARA TITLE III:

Section 302: Product is not listed as an Extremely Hazardous Substance (EHS).

Section 304: Emergency Release Notification not required. Section 311/312: Hazard Category: Acute (nuisance dust).

MSDS, chemical inventory, Tier I/II reporting are applicable.

Section 313: Product is not subject to Form R reporting.

Section 16 Other Information

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any representation or warranty, express or implied, regarding the accuracy, correctness, or suitability of this information for application to the purchasers intended use. The conditions or methods of handling, storage, use and disposal of the product are beyond our control. We, therefore, do not assume the responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.