



SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: OS-80
OTHER MEANS OF IDENTIFICATION: None

RECOMMENDED USE: Drilling fluid & cement additive

RESTRICTIONS ON USE:

SUPPLIER IDENTIFIER:

Di-Corp

8750-53 Ave

Edmonton, AB T6E 5G2

780-440-4923

EMERGENCY PHONE NUMBER: (24 hour) 780-468-4064

TRANSPORT EMERGENCY PHONE NUMBER: 1-888-CANUTEC (226-8832), 613-996-6666 or *666 on a cellular phone

SECTION 2: HAZARD IDENTIFICATION

Corrosive to metals - Category 1

CLASSIFICATION: Skin corrosion/irritation – Category 2

Serious eye damage/Eye irritation – Category 2A



SIGNAL WORD: WARNING

May be corrosive to metals.

CLASSIFICATION INFORMATION: Causes skin irritation.

Causes serious eye irritation. Keep only in original packaging.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, clothing, eye and face protection.

IF ON SKIN: Wash with plenty of water.

PRECAUTIONARY STATEMENTS:

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Store in corrosion resistant container.

OTHER HAZARDS: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME CAS NUMBER CONCENTRATION Sulfamic acid 5329-14-6 15-20% (w/w)

SECTION 4: FIRST AID MEASURES

SKIN CONTACT: Quickly and gently brush away excess chemical. Thoroughly flush with running water while

removing contaminated clothing. If irritation persists or burns appear, obtain medical

attention.

© Di-Corp 2020 Page 1 of 4



SAFETY DATA SHEET OS-80

EYE CONTACT: Flush with gently flowing warm water for minimum 15 minutes. Hold eyelids open to ensure

thorough flushing. Obtain medical attention when flushing is complete and no further

irritation is felt.

INGESTION: Do not induce vomiting. Rinse mouth and give 1 to 2 glasses of water. Obtain medical

attention. Never give anything by mouth if patient is unconscious, rapidly losing

consciousness or convulsing.

INHALATION: Move to area free from dust. If victim is not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Obtain

immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS: Causes eye irritation. Prolonged eye contact may result in corneal damage. May cause skin

irritation.

IMMEDIATE MEDICAL ATTENTION/SPECIAL

TREATMENT:

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use media appropriate for packaging and surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: None known.

SPECIFIC FIRE HAZARDS: Thermal decomposition will result in the generation of irritating and highly toxic gases.

HAZARDOUS COMBUSTION PRODUCTS: Includes oxides of carbon, oxides of nitrogen, oxides of sulfur and ammonia.

SPECIAL PROTECTIVE EQUIPMENT & Self-contained breathing apparatus required for fire-fighting personnel.

PRECAUTIONS:

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIMENT AND EMERGENCY PROCEDURES

Use appropriate safety equipment. Avoid creating dust clouds. Avoid bodily contact with spilled material.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Collect dry material by shoveling or use vacuum. Collect uncontaminated material for repackaging. Collect contaminated material in an approved container for disposal. Neutralize residue with dilute solution of soda ash. Flush spill area thoroughly with water.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

This product is corrosive. Wear personal protective equipment. Wash thoroughly after handling. Avoid contact with skin and eyes. Avoid ingestion. Avoid creating dust clouds when handling. Wash clothing before reuse. Thoroughly clean or discard contaminated leather articles.

CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES

Store in cool, dry area away from incompatibles. Keep container tightly closed and properly labelled. Aqueous solutions can, if in contact with reactive metal (iron, zinc, aluminum) form hydrogen which may create explosive mixtures. Empty packages contain residual hazardous material and should be handled as if full.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: Not established.

ENGINEERING CONTROLS: Use only with adequate ventilation. If user operations generate dust use process enclosure,

local exhaust ventilation or other engineering controls to keep worker exposure below limits.

Ensure ventilation equipment is corrosion resistant and separate from other exhaust

ventilation systems.

© Di-Corp 2020 Page 2 of 4



SAFETY DATA SHEET OS-80

PERSONAL PROTECTIVE MEASURES

RESPIRATORY PROTECTION: Approved dust masks required for dust levels below TLV. Use a properly fitted particulate

filter respirator complying with an approved standard if airborne concentrations exceeds TLV

or if a risk assessment indicates this is necessary.

PROTECTIVE GLOVES: Rubber gauntlets recommended.

EYE PROTECTION: Wear tight fitting chemical goggles. Do not wear contact lenses.

OTHER PROTECTIVE EQUIPMENT (SPECIFY): Protective clothing as required to prevent contact. Ensure eye-wash station and emergency

shower are available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off-white powder

ODOUR: **Odourless** ODOUR THRESHOLD: Not applicable Not available MELTING POINT / FREEZING POINT: Not applicable **BOILING POINT / RANGE:** Not available FLASH POINT: Not applicable **EVAPORATION RATE:** Not applicable FLAMMABILITY: Combustible FLAMMABILITY / EXPLOSIVE LIMITS: Not applicable VAPOUR PRESSURE: Not available VAPOUR DENSITY: Not available RELATIVE DENSITY: Not available SOLUBILITY: Soluble in water PARTION COEFFICIENT: Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Not reactive under normal conditions of storage.

CHEMICAL STABILITY: Stable.

AUTO-IGNITION TEMPERATURE:

VISCOSITY:

DECOMPOSITION TEMPERATURE:

POSSIBILITY OF HAZARDOUS REACTIONS: Not available.

CONDITIONS TO AVOID: Avoid contact with strong oxidizers, strong reducing agents, strong bases and metals.

INCOMPATIBLE MATERIALS: Strong oxidizers, strong reducing agents and strong bases.

HAZARDOUS DECOMPOSITION PRODUCTS:

May react with metals generating explosive hydrogen gas. May give off ammonia at elevated

termperatures.

Not available

Not applicable

Not applicable

SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT TOXICITY: LD50 (oral, rat) >2000 mg/kg (based on ingredient information).

SKIN CONTACT: May cause mild to moderate irritation. Prolonged contact may cause inflammation and

blistering.

EYE CONTACT: Moderate to severe irritant. Prolonged contact may cause corneal damage and possibly

blindness.

INGESTION: May cause burns to the mouth, throat and esophagus.

© Di-Corp 2020 Page 3 of 4



SAFETY DATA SHEET OS-80

INHALATION: Dust may cause temporary irritation of the nose and throat. The severity of these effects

would depend on the airborne concentration and duration of exposure.

CARCINOGENICITY: Contains no ingredients considered to be carcinogenic (NTP, IARC, or OSHA).

TERATOGENICITY: No information available.

REPRODUCTIVE TOXICITY: No information available.

MUTAGENICITY: No information available. CHRONIC TOXICITY: No information available.

TARGET ORGAN EFFECTS: Not available.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: No information available.

PERSISTENCE AND DEGRADABILITY: Not available.

BIOACCUMULATIVE POTENTIAL: Not available.

MOBILITY IN SOIL: Not available.

OTHER ADVERSE EFFECTS: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal. Empty containers, which have not been cleaned and purged, contain residual hazardous material and must be recycled, or disposed of, in accordance with local regulations.

SECTION 14: TRANSPORTATION INFORMATION

TDG Regulated
DOT Regulated
IATA Regulated
IMDG Regulated
UN NUMBER: UN2967

PROPER SHIPPING NAME: Sulfamic acid, mixture

CLASS: 8
PACKING GROUP: III

IMDG HAZARDS: Not applicable BULK TRANSPORT: Not applicable

SPECIAL PRECAUTIONS: None

SECTION 15: REGULATORY INFORMATION

DSL: Ingredients are either on or exempt from the list.

WHMIS CLASS: E

TSCA: Ingredients are either on or exempt from the list.

SECTION 16: OTHER INFORMATION

REVISION DATE: November 15, 2022

© Di-Corp 2020 Page 4 of 4