

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER: Calcium Nitrate

OTHER MEANS OF IDENTIFICATION: Envirofloc; Calcium Ammonium Nitrate

RECOMMENDED USE: Oilwell drilling fluid additive

RESTRICTIONS ON USE:

None known

SUPPLIER IDENTIFIER: In Canada: In USA:

Di-Corp Jentech Drilling Services

8750-53 Ave 2815 W Houston Ave Edmonton, AB T6E 5G2 Apache Junction, AZ 85120

775-424-3045

EMERGENCY PHONE NUMBER: In Canada: In USA:

780-440-4923

780-468-4064 (24hr)

SECTION 2: HAZARD IDENTIFICATION

CLASSIFICATION: Acute toxicity – Category 4

Serious eye damage – Category 1

LABEL SYMBOLS:

SIGNAL WORD:

CLASSIFICATION INFORMATION: Harmful if swallowed.

Causes serious eye damage.

DANGER

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear protective gloves, eye and face protection.

PRECAUTIONARY STATEMENTS: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Dispose of contents/container in accordance with local/regional/national regulations.

OTHER HAZARDS: None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME CAS NUMBER CONCENTRATION

Hydrated ammonium and calcium nitrate 6484-52-2 & 100 124-37-5

SECTION 4: FIRST AID MEASURES

SKIN CONTACT: Remove contaminated clothing and brush away excess product. Flush with water for 15

minutes. If irritation develops and persists seek medical attention.

EYE CONTACT: Immediately flush eyes with gently flowing warm water for at least 15 minutes. Get medical

attention when flushing is completed.

INGESTION: Do not induce vomiting unless directed to do so by medical personnel. Rinse mouth with

water. Give 1 to 2 glasses of water. Obtain medical attention if you feel unwell. Never give anything by mouth if patient is unconscious, rapidly losing consciousness or convulsing.

© Di-Corp 2025 Page 1 of 4



INHALATION: Move to area free from dust. If victim is not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If

breathing difficulties continue obtain medical attention.

MOST IMPORTANT SYMPTOMS / EFFECTS: May cause severe eye irritation.

IMMEDIATE MEDICAL ATTENTION / Immediate flushing of eyes is critical to prevent possible damage. If large quantity is

SPECIAL TREATMENT: ingested, get immediate medical advice or attention. Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use flooding quantities of water to extinguish.

UNSUITABLE EXTINGUISHING MEDIA: Do not use chemical extinguisher or foam or attempt to smother the fire with steam or sand.

SPECIFIC FIRE HAZARDS: None known. HAZARDOUS COMBUSTION PRODUCTS: Not available.

SPECIAL PROTECTIVE EQUIPMENT & Self-contained breathing apparatus required for fire-fighting personnel.

PRECAUTIONS:

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS. PROTECTIVE EQUIMENT AND EMERGENCY PROCEDURES

Use appropriate safety equipment. Evacuate nonessential personnel.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Collect dry material by shoveling. Collect uncontaminated material for repackaging. Collect contaminated material in an approved container for disposal. Flush spill area thoroughly with water.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Wear personal protective equipment. Wash thoroughly after handling, before eating, smoking and using the lavatory and at the end of the working period. Avoid contact with skin and eyes. Avoid ingestion. Wash clothing before reuse.

CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES

Store in cool, dry area away from incompatibles. Keep container tightly closed and properly labelled. Empty packages contain residual hazardous material and should be handled as if full.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: Not determined.

ENGINEERING CONTROLS: Use only with adequate ventilation. If user operations generate dust use process enclosure,

local exhaust ventilation or other engineering controls to keep worker exposure below limits.

PERSONAL PROTECTIVE MEASURES

RESPIRATORY PROTECTION: In absence of adequate ventilation an approved dust mask should be worn. If TLV is

exceeded wear an approved respirator with dust cartridges.

PROTECTIVE GLOVES: Rubber gauntlets recommended.

EYE PROTECTION: Suggest safety glasses with side shields. Suggest chemical goggles be worn when preparing

solutions.

OTHER PROTECTIVE EQUIPMENT (SPECIFY): Protective clothing as required to prevent contact. Ensure eye-wash station and emergency

shower are available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White to off-white granular solid

ODOUR: Odourless
ODOUR THRESHOLD: Not applicable

© Di-Corp 2025 Page 2 of 4



pH: 6 - 7 (5% solution)

MELTING POINT / FREEZING POINT: 116°C

BOILING POINT / RANGE: Not determined FLASH POINT: Not applicable **EVAPORATION RATE:** Not determined FLAMMABILITY: Not flammable FLAMMABILITY / EXPLOSIVE LIMITS: Not applicable VAPOUR PRESSURE: Not determined VAPOUR DENSITY: Not determined RELATIVE DENSITY: Not determined **SOLUBILITY:** Soluble in water PARTION COEFFICIENT: Not available **AUTO-IGNITION TEMPERATURE:** Not applicable **DECOMPOSITION TEMPERATURE:** Not determined VISCOSITY: Not applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Not reactive. CHEMICAL STABILITY: Stable.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur under normal conditions or storage and use.

CONDITIONS TO AVOID: Avoid contamination by any source including metals, dust and organic materials. INCOMPATIBLE MATERIALS: Alkalis, combustible materials, reducing materials, organic materials, acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Not available.

SECTION 11: TOXICOLOGICAL INFORMATION

 COMPONENT
 LD50 Oral
 LC50 Dermal
 LC50 Inhalation

 Hydrated calcium ammonium
 500 mg/kg (rat)
 >2000 mg/kg (rabbit)
 Not determined

nitrate

SKIN CONTACT: Repeated or prolonged contact may cause irritation.

EYE CONTACT: Strong irritant with danger of severe eye injury.

INGESTION: Harmful if swallowed. No specific information available.

INHALATION: May cause mild nasal irritation.

CARCINOGENICITY: Not considered to be carcinogenic (NTP, IARC, or OSHA).

TERATOGENICITY: No information available.

REPRODUCTIVE TOXICITY: No information available.

MUTAGENICITY: No information available.

CHRONIC TOXICITY: No information available.

TARGET ORGAN EFFECTS: Not available.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: LC50 (labeo boga) = 447 mg/L/48hr

EC50 (daphnia magna) > 100 mg/L/48hr

EC50 (heterosigma akashiwo) > 100 mg/L/72hr

EC50 (microorganism) > 1000 mg/L/3hr

PERSISTENCE AND DEGRADABILITY: Not applicable to inorganic materials.

© Di-Corp 2025 Page 3 of 4



BIOACCUMULATIVE POTENTIAL: Accumulation in organisms is not expected.

MOBILITY IN SOIL: No information available.

OTHER ADVERSE EFFECTS: No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal. Empty containers, which have not been cleaned and purged, contain residual hazardous material and must be recycled, or disposed of, in accordance with local regulations.

SECTION 14: TRANSPORTATION INFORMATION

TDG Not regulated DOT Not regulated IATA Not regulated **IMDG** Not regulated UN NUMBER: Not applicable PROPER SHIPPING NAME: Not applicable CLASS: Not applicable **PACKING GROUP:** Not applicable **IMDG HAZARDS:** Not applicable **BULK TRANSPORT:** Not applicable

SPECIAL PRECAUTIONS: None

SECTION 15: REGULATORY INFORMATION

DSL: Listed

WHMIS 1988 CLASS: Not controlled

TSCA: Listed

SECTION 16: OTHER INFORMATION

REVISION DATE: July 29, 2025 REPLACES: March 4, 2025

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

© Di-Corp 2025 Page 4 of 4